



Auto no-fault pharmacy resource guide

April 2017 | New Jersey

NEW JERSEY

The more we know, the more we can control, and the better positioned we are to act.

We are pleased to share this Auto no-fault pharmacy resource offering insight on some of the more commonly prescribed medications in auto no-fault claims including laws associated with this state. Assembled from a variety of established medical and medication resources, medication information included herein offers insight on appropriateness, therapeutic class and generic availability.

While comprehensive, please be aware our industry is ever-changing with new therapies frequently identified and new laws brought forth. Should you have questions regarding a specific claim our Clinical Services team is available to assist Monday through Friday, 7:00 a.m. – 6:30 p.m. ET.

We hope you find this resource beneficial.



Tron Emptage, R.Ph
Chief Clinical Officer

Workers' Compensation
and Auto No-Fault Division
Optum®



Dr. Robert Hall
Corporate Medical Director

Workers' Compensation
and Auto No-Fault Division
Optum®

Disclaimer

Information contained in this Auto no-fault pharmacy resource guide is provided "as is" for informational purposes only and is not intended to constitute legal advice. Due to the rapidly changing nature of regulatory information, Optum does not warrant or guarantee the accuracy of content of this Guide. Before taking any action on the reimbursement or delivery of care based upon our Guide, the reader should consult their legal representatives.

Table of Contents

- 5 Top 25 medications for Auto no-fault in NJ ranked as a percentage of total spend
- 6 Jurisdictional laws and regulations
- 8 Brand-Generic Index
- 13 Generic-Brand Index
- 18 2017 Continuing Education program

Top 25 medications for Auto no-fault in New Jersey ranked as a percentage of total spend

2016 Rank	2015 Rank	Total Spend	Common Brand Name	Generic Name	Therapeutic Class
1	1	10.7%	Percocet®	oxycodone-acetaminophen	Opioid Analgesic
2	2	6.6%	OxyContin®	oxycodone ER	Opioid Analgesic
3	4	4.1%	Duexis®	ibuprofen-famotidine	NSAID/Histamine Blocker
4	6	3.8%	Lyrica®	pregabalin	Anticonvulsant
5	3	3.4%	Roxicodone®	oxycodone	Opioid Analgesic
6	7	3.3%	Fentora®	fentanyl buccal	Opioid Analgesic
7	5	3.1%	Lidoderm® Patch	lidocaine patch	Topical Analgesic - Anesthetic
8	11	1.9%	Topamax®	topiramate	Anticonvulsant
9	15	1.6%	Wellbutrin®	bupropion	Antidepressant
10	17	1.6%	Neurontin® capsule	gabapentin	Anticonvulsant
11	29	1.5%	Vimovo®	naproxen/esomeprazole	NSAID/Proton Pump Inhibitor
12	9	1.4%	Cymbalta®	duloxetine	Antidepressant
13	14	1.3%	Provigil®	modafinil	Narcolepsy/Sleep Apnea/Shift Work Disorder
14	10	1.3%	Opana® ER	oxymorphone ER	Opioid Analgesic
15	13	1.3%	Celebrex®	celecoxib	NSAID
16	22	1.2%	Amrix®	cyclobenzaprine ER	Skeletal Muscle Relaxant
17	19	1.2%	Keppra®	levetiracetam	Antianxiety Agent
18	23	1.2%	Lioresal®*	baclofen	Skeletal Muscle Relaxant
19	16	1.2%	Xanax®	alprazolam	Antianxiety Agent
20	12	1.2%	Vicodin®, Norco®	hydrocodone-acetaminophen	Opioid Analgesic
21	25	1.1%	Neurontin® tablet	gabapentin	Anticonvulsant
22	20	1.1%	Flector® patch	diclofenac patch	Topical NSAID
23	18	1.1%	Flexeril®	cyclobenzaprine	Skeletal Muscle Relaxant
24	41	1.1%	Pennsaid® Solution	diclofenac solution	Topical NSAID
25	8	1.0%	Duragesic®	fentanyl	Opioid Analgesic

*Brand medication not available

Red indicates a reduction

NSAID = Nonsteroidal Anti-inflammatory Drug

ER = extended-release

Jurisdictional laws and regulations

Pharmacy Fee Schedule

Reimbursement Description

Paid at usual and customary.

Insurer's limit of liability for any service/equipment not in the fee schedule is a reasonable amount considering the fee schedule amount for similar services or equipment in region where service or equipment provided or, in case of elective services or equipment provided outside of NJ, the region in which the insured resides. Where the fee schedule does not contain a reference to similar services/equipment, insurer's liability shall not exceed usual, customary and reasonable fee.

Generic Mandate

None stated.

Physician Dispensed and Repackaged Medications

Physicians limited to dispensing a seven-day supply unless the claimant lives 10 miles from nearest pharmacy and certain other listed exemptions. Additional limits on charges also apply, though are non-specific to Auto. (Statutes 45:9-22.11)

Miscellaneous

- "Medical expenses" are "reasonable and necessary expenses for treatment or services as provided by the policy."
- "Eligible charge" is a treating provider's usual, customary and reasonable charge or upper limit of fee schedule, whichever is lower.
- Voluntary networks are permitted for prescription medications, but are required to be registered and must meet several requirements. (See NJAC 11:3-4.8)

Direction of Care

Can waive or charge certain co-payments/deductibles, but cannot require use of managed care.

Billing Payment

Paper Billing

No specific forms or formats are adopted under auto statutes or rules. Ebilling not addressed.

Coding Requirements

CPT in Fee Schedule as of 2011, but provider shall always bill the actual and correct code found in most recent CPT version. Some modifiers used.

Billing Payment

Biller Time Frames

Every action for medical expense benefits payable shall be commenced no later than two years after claimant or survivor suffers a loss or incurs an expense and either knows or should know the loss or expense was caused by the accident, or no later than four years after accident whichever is earlier, provided, however, that if benefits have been paid before then an action for further benefits may be commenced no later than two years after last payment of benefits.

Notice required by treating provider no greater than 21 days following commencement of treatment. It may be in form of a bill with note. The 21-day notification requirement is not applicable to secondary providers such as pharmacies and DME suppliers.

Payer Time Frames

Payment is overdue if not paid within 60 days after insurer furnished written notice of fact of a covered loss and of amount. Time frame for payment may be extended by up to 45 days after notifying claimant or their representative of a need for additional time to investigate claim.

Late Payment Penalties

All overdue payments bear interest at a percentage of interest prescribed in the Rules Governing the Courts of the State of NJ for judgments, awards and orders for the payment of money.

EOB/EOR Requirements

Within 60 days of receipt of notice, or such additional time as may be afforded, insurer shall give treating health care provider notice of its final determination as to payment, reduction or denial of payment of an eligible charge. Such notice shall be clearly labeled "Final Determination," and it shall refer clearly to the injured party, insured, claim number, date of accident, date of first treatment, date notice of the commencement of treatment was made and acceptance or rejection of any of the standards of adjustment of the reduction. (see NJAC 11:3-25.6)

Miscellaneous

- Certain deductibles and co-payments may apply to a dependent on a policy.
- All auto insurers shall provide any claimant with the option of submitting a claim to dispute resolution with a state approved organization.
- An insured may only assign benefits and duties under policy to a provider of service benefits. (NJSA 39:6A-4)

Billing Payment

Miscellaneous (continued)

- Fee schedules do not apply to medical services or equipment provided outside of the geographic boundaries of NJ (insurer liable for UCR for provider in geographic location where service/equipment provided) except when provided by reason of the election by the claimant to receive treatment outside NJ, the reasonable and necessary costs shall not exceed fees set forth in the fee schedules for the geographic region in which the claimant resides.

Prior Authorization, Utilization Review Coverage

Pharmacy Authorization

None stated.

Ancillary Authorization

May depend on individual insurer's decision point review plan.

Treatment Guidelines

Medical treatments, diagnostic tests, services provided by the policy shall be rendered in accordance with commonly accepted protocols and professional standards and practices which are commonly accepted as being beneficial for the treatment of the covered injury. Protocols and professional standards and practices which are deemed to be commonly accepted shall be those recognized by national standard setting organizations, national or state professional organizations of the same discipline as the treating provider, or those designated or approved by the commissioner.

Establishment of standard treatment protocols or protocols for the administration of diagnostic tests shall not be interpreted in such a manner as to preclude variance from the standard when warranted by reason of medical necessity.

The Commissioner has designated certain "care paths" as standard course of medically necessary treatment/ tests. Treatments that vary are reimbursable only when warranted by reason of medical necessity.

Prior Authorization, Utilization Review Coverage

Utilization Review

"Medically necessary" or "medical necessity" means medical treatment or diagnostic test is consistent with the clinically supported symptoms, diagnosis or indications of the claimant, and treatment is the most appropriate level of service in accordance with the standards of good practice and standard professional treatment protocols including the Care Paths in the Appendix. Treatment of the injury is not primarily for the convenience of the claimant or provider and does not include unnecessary testing or treatment.

Utilization management vendors used by insurers must be registered with the Department of Banking and Insurance.

Denials of decision point review and precertification requests on basis of medical necessity shall be the determination of a physician.

Disputes with state over medical necessity may go to a medical review organization.

Coverage Details

Standard PIP coverage is payment of medical expense benefits in accordance with a benefit plan provided in the policy and approved by the commissioner, for reasonable, necessary, and appropriate treatment and provision of services to persons sustaining bodily injury, in an amount not to exceed \$250,000 per person per accident.

"Basic" PIP coverage differs and less optional coverage may be opted.

Other than Medicare/Medicaid the claimant may elect to have other health plan as primary payer.

Miscellaneous

Policy form may provide for precertification of certain procedures, treatments, diagnostic tests, or other services or for the purchase of durable medical goods, as approved by the commissioner, provided that the requirement for precertification shall not be unreasonable, and no precertification requirement shall apply within 10 days of the insured event.

"Precertification" or "precertification request" reflects procedures in an insurer's approved decision point review plan for the insurer to receive notice and respond to requests for listed specific medical procedures, treatments, diagnostic tests, other services and durable medical equipment that are not subject to decision point review and that may be subject to overutilization.

Brand-Generic Index

Brand	Generic	Therapeutic Class	Pharmaceutical Uses†
Abilify®	aripiprazole	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression
Aciphex®	rabeprazole	Ulcer Drug	Ulcers/GERD
Adderall®	amphetamine/dextroamphetamine	Stimulant	Attention Deficit Hyperactivity Disorder
Advair Diskus®	fluticasone/salmeterol	Antiasthmatic	Asthma/COPD
Advil®	ibuprofen	NSAID	Pain/Inflammation
Altace®	ramipril	Antihypertensive	High Blood Pressure/Heart Failure
Ambien CR®	zolpidem ER	Hypnotic	Insomnia
Ambien®	zolpidem	Hypnotic	Insomnia
Amitiza®	lubiprostone	Gastrointestinal Agent	Constipation/Opioid-Induced Constipation
Amrix®	cyclobenzaprine ER	Skeletal Muscle Relaxant	Muscle Spasm
Anaprox® DS	naproxen sodium	NSAID	Pain/Inflammation
AndroGel®	testosterone	Androgen	Testosterone Deficiency
Antivert®	meclizine	Antiemetic	Nausea/Vomiting
Arthrotec®	diclofenac/misoprostol	NSAID	Pain/Inflammation
Atarax®	hydroxyzine	Antianxiety Agent	Anxiety/Itching
Ativan®	lorazepam	Antianxiety Agent	Anxiety/Insomnia
Augmentin®	amoxicillin/clavulanate potassium	Antibiotic	Bacterial Infections
Avinza®	morphine ER	Opioid Analgesic	Pain
Bactrim® DS	sulfamethoxazole/trimethoprim	Antibiotic	Bacterial Infections
Bactroban®	mupirocin	Antiinfective - Topical	Skin Infections
BuSpar®	bupirone	Antianxiety Agent	Anxiety
Butrans®	buprenorphine	Opioid Analgesic	Pain
Bystolic®	nebivolol	Antihypertensive	High Blood Pressure
Cataflam®	diclofenac potassium	NSAID	Pain/Inflammation
Catapres®	clonidine	Antihypertensive	High Blood Pressure
Celebrex®	celecoxib	NSAID	Pain/Inflammation
Celexa®	citalopram	Antidepressant	Depression
Cialis®	tadalafil	Misc Cardiovascular	Erectile Dysfunction/Enlarged Prostate
Cipro®	ciprofloxacin	Antibiotic	Bacterial Infections
Cleocin®	clindamycin	Antibiotic	Bacterial Infections
Clinoril®	sulindac	NSAID	Pain/Inflammation
Colace®	docusate sodium	Laxative	Constipation
Combivent® Respimat®	ipratropium bromide/albuterol	Antiasthmatic	COPD
Constulose®	lactulose	Laxative	Constipation
Conzip®	tramadol ER	Opioid Analgesic	Pain
Coreg®	carvedilol	Antihypertensive	High Blood Pressure/Heart Failure
Coumadin®	warfarin	Anticoagulant	Blood Thinner
Cozaar®	losartan potassium	Antihypertensive	High Blood Pressure
Crestor®	rosuvastatin	Antihyperlipidemic	High Cholesterol
Cymbalta®	duloxetine	Antidepressant	Depression/Pain/Anxiety
Daypro®	oxaprozin	NSAID	Pain/Inflammation
Deltasone®	prednisone	Corticosteroid	Inflammatory Disorders

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations
RED = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

Brand-Generic Index

Brand	Generic	Therapeutic Class	Pharmaceutical Uses†
Depakote®	divalproex	Anticonvulsant	Seizures/Migraine/Bipolar Disorder
Depakote® ER	divalproex ER	Anticonvulsant	Seizures/Migraine/Bipolar Disorder
Desyrel®	trazodone	Antidepressant	Depression/Insomnia
Dexilant™	dexlansoprazole	Ulcer Drug	Ulcers/GERD
Dilantin®	phenytoin	Anticonvulsant	Seizures
Dilaudid®	hydromorphone	Opioid Analgesic	Pain
Diovan®	valsartan	Antihypertensive	High Blood Pressure/Heart Failure
Ditropan XL®	oxybutynin ER	Urinary Antispasmodic	Overactive Bladder
Dolophine®	methadone	Opioid Analgesic	Pain
Duexis®	ibuprofen/famotidine	NSAID/Histamine Blocker	Arthritis/Ulcer Risk Reduction
Dulcolax® Suppository	bisacodyl	Laxative	Constipation
Duragesic®	fentanyl	Opioid Analgesic	Pain
EC-Naprosyn®	naproxen delayed-release	NSAID	Pain/Inflammation
Ecotrin®	aspirin	Non-Opioid Analgesic	Pain/Inflammation/Fever
Effexor®	venlafaxine	Antidepressant	Depression
Effexor® XR	venlafaxine ER	Antidepressant	Depression
Elavil®	amitriptyline	Antidepressant	Depression/Insomnia/Nerve Pain
Eliquis®	apixaban	Anticoagulant	Blood Thinner
Embeda®	morphine/naltrexone	Opioid Analgesic	Pain
Esgic®/Fioricet®	butalbital/acetaminophen/caffeine	Non-Opioid Analgesic	Headache
Exalgo®	hydromorphone ER	Opioid Analgesic	Pain
Feldene®	piroxicam	NSAID	Pain/Inflammation
Flector® Patch	diclofenac patch	Topical NSAID	Pain/Inflammation
Flexeril®	cyclobenzaprine	Skeletal Muscle Relaxant	Muscle Spasm
Flomax®	tamsulosin	Misc Genitourinary Product	Enlarged Prostate
Flonase®	fluticasone	Corticosteroid - Nasal	Allergies
Glucophage®	metformin	Antidiabetic	High Blood Sugar
Gralise®	gabapentin	Anticonvulsant	Nerve Pain
Horizant®	gabapentin enacarbil	Anticonvulsant	Restless Legs Syndrome
Hydrodiuril®	hydrochlorothiazide	Diuretic	High Blood Pressure/Heart Failure
Hysingla® ER	hydrocodone ER	Opioid Analgesic	Pain
Imitrex®	sumatriptan	Migraine Product	Migraine
Inderal®	propranolol	Antihypertensive	High Blood Pressure/Migraine
Inderal® LA	propranolol ER	Antihypertensive	High Blood Pressure/Migraine
Isentress®	raltegravir	Antiviral	Human Immunodeficiency Virus Infection
Kadian®	morphine ER	Opioid Analgesic	Pain
Keflex®	cephalexin	Antibiotic	Bacterial Infections
Kenalog®	triamcinolone	Corticosteroid - Topical	Inflammatory Disorders
Keppra®	levetiracetam	Antianxiety Agent	Seizures
Klonopin®	clonazepam	Anticonvulsant	Seizures/Panic Disorder
Klor-Con®	potassium chloride	Mineral & Electrolyte	Potassium Deficiency
Lamictal®	lamotrigine	Anticonvulsant	Seizures/Bipolar Disorder
Lasix®	furosemide	Diuretic	High Blood Pressure/Heart Failure

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. ER, XR, CR, LA, XL = Extended-release formulations

RED = Generic not available NSAID = Nonsteroidal Anti-inflammatory Drug COPD = Chronic Obstructive Pulmonary Disease GERD = Gastroesophageal Reflux Disease

Brand-Generic Index

Brand	Generic	Therapeutic Class	Pharmaceutical Uses†
Levaquin®	levofloxacin	Antibiotic	Bacterial Infections
Lexapro®	escitalopram	Antidepressant	Depression
Lidoderm® Patch	lidocaine patch	Topical Analgesic - Anesthetic	Nerve Pain
Linzess®	linaclotide	Gastrointestinal Agent	Constipation/Irritable Bowel Syndrome
Lioresal®	baclofen	Skeletal Muscle Relaxant	Spasticity
Lipitor®	atorvastatin	Antihyperlipidemic	High Cholesterol
Lodine®	etodolac	NSAID	Pain/Inflammation
Lodine® ER	etodolac ER	NSAID	Pain/Inflammation
Lopressor®	metoprolol tartrate	Antihypertensive	High Blood Pressure/Angina
Lovenox®	enoxaparin	Anticoagulant	Blood Thinner
Lunesta®	eszopiclone	Hypnotic	Insomnia
Lyrica®	pregabalin	Anticonvulsant	Fibromyalgia/Seizures/Nerve Pain
Medrol®	methylprednisolone	Corticosteroid	Inflammatory Disorders
Minipress®	prazosin	Antihypertensive	High Blood Pressure
MiraLAX®	polyethylene glycol	Laxative	Constipation
Mobic®	meloxicam	NSAID	Pain/Inflammation
Movantik®	naloxegol	Gastrointestinal Agent	Opioid-Induced Constipation
Moxatag®	amoxicillin ER	Antibiotic	Bacterial Infections
MS Contin®	morphine ER	Opioid Analgesic	Pain
Naprosyn®	naproxen	NSAID	Pain/Inflammation
Neurontin®	gabapentin	Anticonvulsant	Seizures/Nerve Pain
New Terocin Lotion	methyl salicylate/capsaicin/menthol	Dermatological - Topical	Topical Pain Relief
Nexium®	esomeprazole magnesium	Ulcer Drug	Ulcers/GERD
Norco®	hydrocodone/acetaminophen	Opioid Analgesic	Pain
Norflex®	orphenadrine	Skeletal Muscle Relaxant	Muscle Spasm
Norvasc®	amlodipine	Antihypertensive	High Blood Pressure/Angina
Nucynta®	tapentadol	Opioid Analgesic	Pain
Nucynta® ER	tapentadol ER	Opioid Analgesic	Pain
Nuvigil®	armodafinil	Stimulant	Narcolepsy/Sleep Apnea/Shift Work Disorder
Opana®	oxymorphone	Opioid Analgesic	Pain
Opana® ER	oxymorphone ER	Opioid Analgesic	Pain
Orudis®	ketoprofen	NSAID	Pain/Inflammation
OxyContin®	oxycodone ER	Opioid Analgesic	Pain
Pamelor®	nortriptyline	Antidepressant	Depression/Insomnia/Nerve Pain
Parafon Forte® DSC	chlorzoxazone	Skeletal Muscle Relaxant	Muscle Spasm
Paxil®	paroxetine	Antidepressant	Depression
Pennsaid® Solution	diclofenac solution	Topical NSAID	Pain/Inflammation
Pepcid®	famotidine	Ulcer Drug	Ulcers/GERD
Percocet®	oxycodone/acetaminophen	Opioid Analgesic	Pain
Phenergan®	promethazine	Antihistamine	Nausea/Vomiting
Plavix®	clopidogrel	Hematological	Post Stroke/Heart Attack
Pred Forte®	prednisolone	Ophthalmic	Eye Inflammation
Prevacid®	lansoprazole	Ulcer Drug	Ulcers/GERD

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations
RED = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

Brand-Generic Index

Brand	Generic	Therapeutic Class	Pharmaceutical Uses†
Prilosec®	omeprazole	Ulcer Drug	Ulcers/GERD
Pristiq®	desvenlafaxine ER	Antidepressant	Depression
ProAir® HFA	albuterol sulfate	Antiasthmatic	Asthma
Protonix®	pantoprazole	Ulcer Drug	Ulcers/GERD
Provigil®	modafinil	Stimulant	Narcolepsy/Sleep Apnea/Shift Work Disorder
Prozac®	fluoxetine	Antidepressant	Depression
Relafen®	nabumetone	NSAID	Pain/Inflammation
Remeron®	mirtazapine	Antidepressant	Depression
Requip®	ropinirole	Antiparkinsonian	Parkinson's Disease/Restless Legs Syndrome
Restoril™	temazepam	Hypnotic	Insomnia
Risperdal®	risperidone	Antipsychotic	Schizophrenia/Bipolar Disorder
Ritalin®	methylphenidate	Stimulant	Attention Deficit Hyperactivity Disorder
Robaxin®	methocarbamol	Skeletal Muscle Relaxant	Muscle Spasm
Roxicodone®	oxycodone	Opioid Analgesic	Pain
Senokot®	sennosides	Laxative	Constipation
Senokot-S®	senna/docusate sodium	Laxative	Constipation
Seroquel XR®	quetiapine ER	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression
Seroquel®	quetiapine	Antipsychotic	Schizophrenia/Bipolar Disorder
Silvadene®	silver sulfadiazine	Antiinfective - Topical	Burn Wound
Sinequan®	doxepin	Antidepressant	Depression/Insomnia
Singulair®	montelukast	Antiasthmatic	Asthma/Allergic Rhinitis
Skelaxin®	metaxalone	Skeletal Muscle Relaxant	Muscle Spasm
Soma®	carisoprodol	Skeletal Muscle Relaxant	Muscle Spasm
Spiriva® Handihaler®	tiotropium	Antiasthmatic	COPD
Suboxone®	buprenorphine/naloxone	Opioid Analgesic	Opioid dependence
Subutex®	buprenorphine	Opioid Analgesic	Opioid dependence
Symbicort®	budesonide/formoterol	Antiasthmatic	Asthma/COPD
Synthroid®	levothyroxine	Thyroid	Thyroid Hormone Deficiency
Tegretol®	carbamazepine	Anticonvulsant	Seizures/Bipolar Disorder/Nerve Pain
Tenormin®	atenolol	Antihypertensive	High Blood Pressure/Angina
Terocin Patch	lidocaine/menthol	Dermatological - Topical	Topical Pain Relief
Tivorbex®	indomethacin	NSAID	Pain/Inflammation
Topamax®	topiramate	Anticonvulsant	Seizures/Migraine
Toprol-XL®	metoprolol ER	Antihypertensive	High Blood Pressure/Heart Failure/Angina
Toradol®	ketorolac	NSAID	Pain/Inflammation
Tricor®	fenofibrate	Antihyperlipidemic	High Cholesterol
Trileptal®	oxcarbazepine	Anticonvulsant	Seizures
Trintellix®	vortioxetine	Antidepressant	Depression
Truvada®	emtricitabine/tenofovir	Antiviral	Human Immunodeficiency Virus Infection
Tylenol® Extra Strength	acetaminophen extra-strength	Non-Opioid Analgesic	Pain/Fever
Tylenol® with Codeine #3	acetaminophen/codeine	Opioid Analgesic	Pain
Ultracet®	tramadol/acetaminophen	Opioid Analgesic	Pain

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations

RED = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

Brand-Generic Index

Brand	Generic	Therapeutic Class	Pharmaceutical Uses†
Ultram®	tramadol	Opioid Analgesic	Pain
Ultram® ER	tramadol ER	Opioid Analgesic	Pain
Valium®	diazepam	Antianxiety Agent	Anxiety/Muscle spasms
Ventolin®/Proventil®	albuterol nebulizer solution	Antiasthmatic	Asthma
Viagra®	sildenafil	Misc Cardiovascular	Erectile Dysfunction/Pulmonary Hypertension
Vibramycin®	doxycycline hyclate	Antibiotic	Bacterial Infections
Vicoprofen®	hydrocodone/ibuprofen	Opioid Analgesic	Pain
Viibryd®	vilazodone	Antidepressant	Depression
Vimovo®	naproxen/esomeprazole	NSAID/Proton Pump Inhibitor	Arthritis/Ulcer Risk Reduction
Vistaril®	hydroxyzine pamoate	Antianxiety Agent	Anxiety/Itching
Voltaren®	diclofenac	NSAID	Pain/Inflammation
Voltaren® Gel	diclofenac gel	Topical NSAID	Pain/Inflammation
Voltaren®-XR	diclofenac ER	NSAID	Pain/Inflammation
Wellbutrin XL®	bupropion ER	Antidepressant	Depression
Wellbutrin®	bupropion	Antidepressant	Depression
Xanax®	alprazolam	Antianxiety Agent	Anxiety/Panic Disorder
Xarelto®	rivaroxaban	Anticoagulant	Blood Thinner
Xylocaine®	lidocaine ointment	Dermatological - Topical	Numbing/Nerve Pain
Zanaflex®	tizanidine	Skeletal Muscle Relaxant	Muscle Spasm
Zantac®	ranitidine	Ulcer Drug	Ulcers/GERD
Zestril®	lisinopril	Antihypertensive	High Blood Pressure/Heart Failure
Zetia®	ezetimibe	Antihyperlipidemic	High Cholesterol
Zipsor®	diclofenac potassium	NSAID	Pain/Inflammation
Zithromax®	azithromycin	Antibiotic	Bacterial Infections
Zocor®	simvastatin	Antihyperlipidemic	High Cholesterol
Zofran®	ondansetron	Antiemetic	Nausea/Vomiting
Zoloft®	sertraline	Antidepressant	Depression
Zonegran®	zonisamide	Anticonvulsant	Seizures
Zorvolex®	diclofenac	NSAID	Pain/Inflammation
Zyprexa®	olanzapine	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations

RED = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

DISCLAIMERS: The information is provided AS IS, for informational purposes only, and is not intended to constitute medical advice or to be used for diagnostic or treatment purposes. Optum does not warrant or guarantee the accuracy of this information and is not responsible for any results obtained from its use. Contact a physician or other health care provider before taking any medical action based on this information, including changes to medication therapy. Readers are encouraged to confirm information independently and/or consult with their legal representatives.

NOTE: Company and product names mentioned are either registered trademarks or trademarks of their respective users. Some brand name products are no longer on the market. Furthermore, if a generic medication is commercially available, not all strengths may have a generic equivalent.

Generic-Brand Index

Generic	Brand	Therapeutic Class	Pharmaceutical Uses†
acetaminophen extra-strength	Tylenol® Extra Strength	Non-Opioid Analgesic	Pain/Fever
acetaminophen/codeine	Tylenol® with Codeine #3	Opioid Analgesic	Pain
albuterol nebulizer solution	Ventolin®/Proventil®	Antiasthmatic	Asthma
albuterol sulfate	ProAir® HFA	Antiasthmatic	Asthma
alprazolam	Xanax®	Antianxiety Agent	Anxiety/Panic Disorder
amitriptyline	Elavil®	Antidepressant	Depression/Insomnia/Nerve Pain
amlodipine	Norvasc®	Antihypertensive	High Blood Pressure/Angina
amoxicillin ER	Moxatag®	Antibiotic	Bacterial Infections
amoxicillin/ clavulanate potassium	Augmentin®	Antibiotic	Bacterial Infections
amphetamine/ dextroamphetamine	Adderall®	Stimulant	Attention Deficit Hyperactivity Disorder
apixaban	Eliquis®	Anticoagulant	Blood Thinner
aripiprazole	Abilify®	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression
armodafinil	Nuvigil®	Stimulant	Narcolepsy/Sleep Apnea/Shift Work Disorder
aspirin	Ecotrin®	Non-Opioid Analgesic	Pain/Inflammation/Fever
atenolol	Tenormin®	Antihypertensive	High Blood Pressure/Angina
atorvastatin	Lipitor®	Antihyperlipidemic	High Cholesterol
azithromycin	Zithromax®	Antibiotic	Bacterial Infections
baclofen	Lioresal®	Skeletal Muscle Relaxant	Spasticity
bisacodyl	Dulcolax® Suppository	Laxative	Constipation
budesonide/formoterol	Symbicort®	Antiasthmatic	Asthma/COPD
buprenorphine	Butrans®	Opioid Analgesic	Pain
buprenorphine	Subutex®	Opioid Analgesic	Opioid dependence
buprenorphine/naloxone	Suboxone®	Opioid Analgesic	Opioid dependence
bupropion	Wellbutrin®	Antidepressant	Depression
bupropion ER	Wellbutrin XL®	Antidepressant	Depression
buspirone	BuSpar®	Antianxiety Agent	Anxiety
butalbital/acetaminophen/ caffeine	Esgic®/Fioricet®	Non-Opioid Analgesic	Headache
carbamazepine	Tegretol®	Anticonvulsant	Seizures/Bipolar Disorder/Nerve Pain
carisoprodol	Soma®	Skeletal Muscle Relaxant	Muscle Spasm
carvedilol	Coreg®	Antihypertensive	High Blood Pressure/Heart Failure
celecoxib	Celebrex®	NSAID	Pain/Inflammation
cephalexin	Keflex®	Antibiotic	Bacterial Infections
chlorzoxazone	Parafon Forte® DSC	Skeletal Muscle Relaxant	Muscle Spasm
ciprofloxacin	Cipro®	Antibiotic	Bacterial Infections
citalopram	Celexa®	Antidepressant	Depression
clindamycin	Cleocin®	Antibiotic	Bacterial Infections
clonazepam	Klonopin®	Anticonvulsant	Antianxiety Agent
clonidine	Catapres®	Antihypertensive	High Blood Pressure
clopidogrel	Plavix®	Hematological	Post Stroke/Heart Attack
cyclobenzaprine	Flexeril®	Skeletal Muscle Relaxant	Muscle Spasm
cyclobenzaprine ER	Amrix®	Skeletal Muscle Relaxant	Muscle Spasm

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations

RED = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

Generic-Brand Index

Generic	Brand	Therapeutic Class	Pharmaceutical Uses†
desvenlafaxine ER	Pristiq®	Antidepressant	Depression
dexlansoprazole	Dexilant™	Ulcer Drug	Ulcers/GERD
diazepam	Valium®	Antianxiety Agent	Anxiety/Muscle spasms
diclofenac potassium	Cataflam®	NSAID	Pain/Inflammation
diclofenac	Voltaren®	NSAID	Pain/Inflammation
diclofenac	Zorvolex®	NSAID	Pain/Inflammation
diclofenac ER	Voltaren®-XR	NSAID	Pain/Inflammation
diclofenac gel	Voltaren® Gel	Topical NSAID	Pain/Inflammation
diclofenac patch	Flector® Patch	Topical NSAID	Pain/Inflammation
diclofenac potassium	Zipsor®	NSAID	Pain/Inflammation
diclofenac solution	Pennsaid® Solution	Topical NSAID	Pain/Inflammation
diclofenac/misoprostol	Arthrotec®	NSAID	Pain/Inflammation
divalproex	Depakote®	Anticonvulsant	Seizures/Migraine/Bipolar Disorder
divalproex ER	Depakote® ER	Anticonvulsant	Seizures/Migraine/Bipolar Disorder
docusate sodium	Colace®	Laxative	Constipation
doxepin	Sinequan®	Antidepressant	Depression/Insomnia
doxycycline hyclate	Vibramycin®	Antibiotic	Bacterial Infections
duloxetine	Cymbalta®	Antidepressant	Depression/Pain/Anxiety
emtricitabine/tenofovir	Truvada®	Antiviral	Human Immunodeficiency Virus Infection
enoxaparin	Lovenox®	Anticoagulant	Blood Thinner
escitalopram	Lexapro®	Antidepressant	Depression
esomeprazole magnesium	Nexium®	Ulcer Drug	Ulcers/GERD
eszopiclone	Lunesta®	Hypnotic	Insomnia
etodolac	Lodine®	NSAID	Pain/Inflammation
etodolac ER	Lodine® ER	NSAID	Pain/Inflammation
ezetimibe	Zetia®	Antihyperlipidemic	High Cholesterol
famotidine	Pepcid®	Ulcer Drug	Ulcers/GERD
fenofibrate	Tricor®	Antihyperlipidemic	High Cholesterol
fentanyl	Duragesic®	Opioid Analgesic	Pain
fluoxetine	Prozac®	Antidepressant	Depression
fluticasone	Flonase®	Corticosteroid - Nasal	Allergies
fluticasone/salmeterol	Advair Diskus®	Antiasthmatic	Asthma/COPD
furosemide	Lasix®	Diuretic	High Blood Pressure/Heart Failure
gabapentin	Neurontin®	Anticonvulsant	Seizures/Nerve Pain
gabapentin	Gralise®	Anticonvulsant	Nerve Pain
gabapentin enacarbil	Horizant®	Anticonvulsant	Restless Legs Syndrome
hydrochlorothiazide	Hydrodiuril®	Diuretic	High Blood Pressure/Heart Failure
hydrocodone ER	Hysingla® ER	Opioid Analgesic	Pain
hydrocodone/acetaminophen	Norco®	Opioid Analgesic	Pain
hydrocodone/ibuprofen	Vicoprofen®	Opioid Analgesic	Pain
hydromorphone	Dilaudid®	Opioid Analgesic	Pain
hydromorphone ER	Exalgo®	Opioid Analgesic	Pain
hydroxyzine	Atarax®	Antianxiety Agent	Anxiety/Itching

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations
RED = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

Generic-Brand Index

Generic	Brand	Therapeutic Class	Pharmaceutical Uses†
hydroxyzine pamoate	Vistaril®	Antianxiety Agent	Anxiety/Itching
ibuprofen	Advil®	NSAID	Pain/Inflammation
ibuprofen/famotidine	Duexis®	NSAID/Histamine Blocker	Arthritis/Ulcer Risk Reduction
indomethacin	Tivorbex®	NSAID	Pain/Inflammation
ipratropium bromide/albuterol	Combivent® Respimat®	Antiasthmatic	COPD
ketoprofen	Orudis®	NSAID	Pain/Inflammation
ketorolac	Toradol®	NSAID	Pain/Inflammation
lactulose	Constulose®	Laxative	Constipation
lamotrigine	Lamictal®	Anticonvulsant	Seizures/Bipolar Disorder
lansoprazole	Prevacid®	Ulcer Drug	Ulcers/GERD
levetiracetam	Keppra®	Anticonvulsant	Seizures
levofloxacin	Levaquin®	Antibiotic	Bacterial Infections
levothyroxine	Synthroid®	Thyroid	Thyroid Hormone Deficiency
lidocaine ointment	Xylocaine®	Dermatological - Topical	Numbing/Nerve Pain
lidocaine patch	Lidoderm® Patch	Topical Analgesic - Anesthetic	Nerve Pain
lidocaine/menthol	Terocin Patch	Dermatological - Topical	Topical Pain Relief
linaclotide	Linzess®	Gastrointestinal Agent	Constipation/Irritable Bowel Syndrome
lisinopril	Zestril®	Antihypertensive	High Blood Pressure/Heart Failure
lorazepam	Ativan®	Antianxiety Agent	Anxiety/Insomnia
losartan potassium	Cozaar®	Antihypertensive	High Blood Pressure
lubiprostone	Amitiza®	Gastrointestinal Agent	Constipation/Opioid-Induced Constipation
meclizine	Antivert®	Antiemetic	Nausea/Vomiting
meloxicam	Mobic®	NSAID	Pain/Inflammation
metaxalone	Skelaxin®	Skeletal Muscle Relaxant	Muscle Spasm
metformin	Glucophage®	Antidiabetic	High Blood Sugar
methadone	Dolophine®	Opioid Analgesic	Pain
methocarbamol	Robaxin®	Skeletal Muscle Relaxant	Muscle Spasm
methyl salicylate/ capsaicin/menthol	New Terocin Lotion	Dermatological - Topical	Topical Pain Relief
methylphenidate	Ritalin®	Stimulant	Attention Deficit Hyperactivity Disorder
methylprednisolone	Medrol®	Corticosteroid	Inflammatory Disorders
metoprolol ER	Toprol-XL®	Antihypertensive	High Blood Pressure/Heart Failure/Angina
metoprolol tartrate	Lopressor®	Antihypertensive	High Blood Pressure/Angina
mirtazapine	Remeron®	Antidepressant	Depression
modafinil	Provigil®	Stimulant	Narcolepsy/Sleep Apnea/Shift Work Disorder
montelukast	Singulair®	Antiasthmatic	Asthma/Allergic Rhinitis
morphine ER	Avinza®	Opioid Analgesic	Pain
morphine ER	Kadian®	Opioid Analgesic	Pain
morphine ER	MS Contin®	Opioid Analgesic	Pain
morphine/naltrexone	Embeda®	Opioid Analgesic	Pain
mupirocin	Bactroban®	Antiinfective - Topical	Skin Infections
nabumetone	Relafen®	NSAID	Pain/Inflammation
naloxegol	Movantik®	Gastrointestinal Agent	Opioid-Induced Constipation

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations

RED = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

Generic-Brand Index

Generic	Brand	Therapeutic Class	Pharmaceutical Uses†
naproxen	Naprosyn®	NSAID	Pain/Inflammation
naproxen delayed-release	EC-Naprosyn®	NSAID	Pain/Inflammation
naproxen sodium	Anaprox® DS	NSAID	Pain/Inflammation
naproxen/esomeprazole	Vimovo®	NSAID/Proton Pump Inhibitor	Arthritis/Ulcer Risk Reduction
nebivolol	Bystolic®	Antihypertensive	High Blood Pressure
nortriptyline	Pamelor®	Antidepressant	Depression/Insomnia/Nerve Pain
olanzapine	Zyprexa®	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression
omeprazole	Prilosec®	Ulcer Drug	Ulcers/GERD
ondansetron	Zofran®	Antiemetic	Nausea/Vomiting
orphenadrine	Norflex®	Skeletal Muscle Relaxant	Muscle Spasm
oxaprozin	Daypro®	NSAID	Pain/Inflammation
oxcarbazepine	Trileptal®	Anticonvulsant	Seizures
oxybutynin ER	Ditropan XL®	Urinary Antispasmodic	Overactive Bladder
oxycodone	Roxicodone®	Opioid Analgesic	Pain
oxycodone ER	OxyContin®	Opioid Analgesic	Pain
oxycodone/acetaminophen	Percocet®	Opioid Analgesic	Pain
oxymorphone	Opana®	Opioid Analgesic	Pain
oxymorphone ER	Opana® ER	Opioid Analgesic	Pain
pantoprazole	Protonix®	Ulcer Drug	Ulcers/GERD
paroxetine	Paxil®	Antidepressant	Depression
phenytoin	Dilantin®	Anticonvulsant	Seizures
piroxicam	Feldene®	NSAID	Pain/Inflammation
polyethylene glycol	MiraLAX®	Laxative	Constipation
potassium chloride	Klor-Con®	Mineral & Electrolyte	Potassium Deficiency
prazosin	Minipress®	Antihypertensive	High Blood Pressure
prednisolone	Pred Forte®	Ophthalmic	Eye Inflammation
prednisone	Deltasone®	Corticosteroid	Inflammatory Disorders
pregabalin	Lyrica®	Anticonvulsant	Fibromyalgia/Seizures/Nerve Pain
promethazine	Phenergan®	Antihistamine	Nausea/Vomiting
propranolol	Inderal®	Antihypertensive	High Blood Pressure/Migraine
propranolol ER	Inderal® LA	Antihypertensive	High Blood Pressure/Migraine
quetiapine	Seroquel®	Antipsychotic	Schizophrenia/Bipolar Disorder
quetiapine ER	Seroquel XR®	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression
rabeprazole	Aciphex®	Ulcer Drug	Ulcers/GERD
raltegravir	Isentress®	Antiviral	Human Immunodeficiency Virus Infection
ramipril	Altace®	Antihypertensive	High Blood Pressure/Heart Failure
ranitidine	Zantac®	Ulcer Drug	Ulcers/GERD
risperidone	Risperdal®	Antipsychotic	Schizophrenia/Bipolar Disorder
rivaroxaban	Xarelto®	Anticoagulant	Blood Thinner
ropinirole	Requip®	Antiparkinsonian	Parkinson's Disease/Restless Legs Syndrome
rosuvastatin	Crestor®	Antihyperlipidemic	High Cholesterol
senna/docusate sodium	Senokot-S®	Laxative	Constipation
sennosides	Senokot®	Laxative	Constipation

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations

RED = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

Generic-Brand Index

Generic	Brand	Therapeutic Class	Pharmaceutical Uses†
sertraline	Zoloft®	Antidepressant	Depression
sildenafil	Viagra®	Misc Cardiovascular	Erectile Dysfunction/Pulmonary Hypertension
silver sulfadiazine	Silvadene®	Antiinfective - Topical	Burn Wound
simvastatin	Zocor®	Antihyperlipidemic	High Cholesterol
sulfamethoxazole/ trimethoprim	Bactrim® DS	Antibiotic	Bacterial Infections
sulindac	Clinoril®	NSAID	Pain/Inflammation
sumatriptan	Imitrex®	Migraine Product	Migraine
tadalafil	Cialis®	Misc Cardiovascular	Erectile Dysfunction/Enlarged Prostate
tamsulosin	Flomax®	Misc Genitourinary Product	Enlarged Prostate
tapentadol	Nucynta®	Opioid Analgesic	Pain
tapentadol ER	Nucynta® ER	Opioid Analgesic	Pain
temazepam	Restoril™	Hypnotic	Insomnia
testosterone	AndroGel®	Androgen	Testosterone Deficiency
tiotropium	Spiriva® Handihaler®	Antiasthmatic	COPD
tizanidine	Zanaflex®	Skeletal Muscle Relaxant	Muscle Spasm
topiramate	Topamax®	Anticonvulsant	Seizures/Migraine
tramadol	Ultram®	Opioid Analgesic	Pain
tramadol ER	Conzip®	Opioid Analgesic	Pain
tramadol ER	Ultram® ER	Opioid Analgesic	Pain
tramadol/acetaminophen	Ultracet®	Opioid Analgesic	Pain
trazodone	Desyrel®	Antidepressant	Depression/Insomnia
triamcinolone	Kenalog®	Corticosteroid - Topical	Inflammatory Disorders
valsartan	Diovan®	Antihypertensive	High Blood Pressure/Heart Failure
venlafaxine	Effexor®	Antidepressant	Depression
venlafaxine ER	Effexor® XR	Antidepressant	Depression
vilazodone	Viibryd®	Antidepressant	Depression
vortioxetine	Trintellix®	Antidepressant	Depression
warfarin	Coumadin®	Anticoagulant	Blood Thinner
zolpidem	Ambien®	Hypnotic	Insomnia
zolpidem ER	Ambien CR®	Hypnotic	Insomnia
zonisamide	Zonegran®	Anticonvulsant	Seizures

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations
RED = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

DISCLAIMERS: The information is provided AS IS, for informational purposes only, and is not intended to constitute medical advice or to be used for diagnostic or treatment purposes. Optum does not warrant or guarantee the accuracy of this information and is not responsible for any results obtained from its use. Contact a physician or other health care provider before taking any medical action based on this information, including changes to medication therapy. Readers are encouraged to confirm information independently and/or consult with their legal representatives.

NOTE: Company and product names mentioned are either registered trademarks or trademarks of their respective users. Some brand name products are no longer on the market. Furthermore, if a generic medication is commercially available, not all strengths may have a generic equivalent.

2017 Continuing Education program

Continuing Education courses and dates (April through August)

All webinars will be held from 2:00-3:00 p.m. (EST)

April 20* Discharge planning from acute care

May 25 Identifying and managing Opioid Use Disorder

June 22 Traumatic brain injuries

July 13 High-cost medications

August 17 Chiropractic medicine

Details about our September through December course offering to be announced.

*This course was previously presented in 2016. If you attended the 2016 course and received continuing education credit from the CEU Institute, you cannot submit for the same credits for this offering.

Register at HeliosComp.com/Resources/Education

Accreditation

All courses will be submitted for 1.0 hour of pre-approved Adjuster (AK, AL, CA, DE, FL, GA, IN, KY, LA, MS, NC, NH, OK, TX, UT, WY); Certified Case Manager (CCM); National Nurse; Certification of Disability Management Specialists (CDMS); Commission on Rehabilitation Counselor (CRC); and Certified Medicare Secondary Payer (CMSP) CE accreditation. For states that do not require prior approval, the adjuster will need to submit their attendance certificate to the appropriate state agency to determine if CE credits can be applied. The Settlement Solutions courses will also be submitted for 1.0 hour of Continuing Legal Education (IL, CA, FL, TX).

Approval information varies by course and will be updated on HeliosComp.com.

Continuing education credits for our courses are administered by the CEU Institute. If you have any issues or questions regarding your credits, please contact submissions@ceuinstitute.net.



About Optum for Auto No-Fault

The auto no-fault division of Optum collaborates with our clients to deliver value beyond transactional savings while helping ensure claimants receive safe and effective clinical care. Our innovative and comprehensive medical cost management programs include pharmacy, ancillary and managed care services from first report of injury to settlement.

Optum and its respective marks are trademarks of Optum, Inc. All other brand or product names are trademarks or registered marks of their respective owners. Because we are continuously improving our products and services, Optum reserves the right to change specifications without prior notice. Optum is an equal opportunity employer.