



# Auto no-fault pharmacy resource guide

April 2017 | New York

NEW YORK



The more we know, the more we can control, and the better positioned we are to act.

We are pleased to share this Auto no-fault pharmacy resource offering insight on some of the more commonly prescribed medications in auto no-fault claims including laws associated with this state. Assembled from a variety of established medical and medication resources, medication information included herein offers insight on appropriateness, therapeutic class and generic availability.


While comprehensive, please be aware our industry is ever-changing with new therapies frequently identified and new laws brought forth. Should you have questions regarding a specific claim our Clinical Services team is available to assist Monday through Friday, 7:00 a.m. – 6:30 p.m. ET.

We hope you find this resource beneficial.



Tron Emptage, R.Ph  
*Chief Clinical Officer*

Workers' Compensation  
and Auto No-Fault Division  
Optum®



Dr. Robert Hall  
*Corporate Medical Director*

Workers' Compensation  
and Auto No-Fault Division  
Optum®

*Disclaimer*

*Information contained in this Auto no-fault pharmacy resource guide is provided "as is" for informational purposes only and is not intended to constitute legal advice. Due to the rapidly changing nature of regulatory information, Optum does not warrant or guarantee the accuracy of content of this Guide. Before taking any action on the reimbursement or delivery of care based upon our Guide, the reader should consult their legal representatives.*

## Table of Contents

- 5 Top 25 medications for Auto no-fault in NY ranked as a percentage of total spend
- 6 Jurisdictional laws and regulations
- 8 Brand-Generic Index
- 13 Generic-Brand Index
- 18 2017 Continuing Education program

## Top 25 medications for Auto no-fault in New York ranked as a percentage of total spend

2016 Rank	2015 Rank	Total Spend	Common Brand Name	Generic Name	Therapeutic Class
1	1	7.0%	Percocet®	oxycodone-acetaminophen	Opioid Analgesic
2	6	5.6%	Lidoderm® Patch	lidocaine patch	Topical Analgesic - Anesthetic
3	4	4.4%	Duexis®	ibuprofen-famotidine	NSAID/Histamine Blocker
4	11	4.3%	Amrix®	cyclobenzaprine ER	Skeletal Muscle Relaxant
5	2	4.1%	Vicodin®, Norco®	hydrocodone-acetaminophen	Opioid Analgesic
6	26	4.1%	Pennsaid® Solution	diclofenac solution	Topical NSAID
7	7	4.0%	OxyContin®	oxycodone ER	Opioid Analgesic
8	5	3.6%	Lyrica®	pregabalin	Anticonvulsant
9	30	3.3%	Vimovo®	naproxen/esomeprazole	NSAID/Proton Pump Inhibitor
10	9	2.7%	Flexeril®	cyclobenzaprine	Skeletal Muscle Relaxant
11	14	2.4%	Lioresal®*	baclofen	Skeletal Muscle Relaxant
12	31	2.3%	Zanaflex® capsule	tizanidine	Skeletal Muscle Relaxant
13	13	2.3%	Cymbalta®	duloxetine	Antidepressant
14	34	2.1%	Nucynta®	tapentadol	Opioid Analgesic
15	8	2.1%	Flector® patch	diclofenac patch	Topical NSAID
16	3	2.0%	Roxicodone®	oxycodone	Opioid Analgesic
17	16	1.8%	Mobic®	meloxicam	NSAID
18	17	1.6%	Neurontin® capsule	gabapentin	Anticonvulsant
19	15	1.4%	Topamax®	topiramate	Anticonvulsant
20	22	1.4%	Motrin®, Advil®	ibuprofen	NSAID
21	10	1.4%	Celebrex®	celecoxib	NSAID
22	12	1.3%	Duragesic®	fentanyl	Opioid Analgesic
23	18	1.3%	Neurontin® tablet	gabapentin	Anticonvulsant
24	153	1.2%	Suboxone®	buprenorphine/naloxone	Opioid Analgesic
25	24	1.2%	Zanaflex® tablet	tizanidine	Skeletal Muscle Relaxant

\*Brand medication not available

Red indicates a reduction

NSAID = Nonsteroidal Anti-inflammatory Drug

ER = extended-release

## Jurisdictional laws and regulations

### Pharmacy Fee Schedule

**BR AWP - 12% + Dispensing Fee \$4**  
**GR AWP - 20% + Dispensing Fee \$5**

#### AWP Source(s)

RedBook, Medi-Span "or any successor publisher" (based on NDC code for drug/medicine on day dispensed).

#### Reimbursement Description

Pharmacy fee schedule based on state workers' comp. fee schedule.

#### Generic Mandate

Substitution required but not specifically stated in auto/statutes or rules.

#### Physician Dispensed/Repackaged Medications

Physicians cannot dispense more than a 72-hour supply, with certain limited exceptions. See New York Education Law §6807, Subd. 2.

Repackaged medications are reimbursed based on AWP for the underlying drug product used in repackaging. If underlying/original NDC is not provided, the payor may identify the NDC to calculate reimbursement.

#### Compounded Medications

Compounded medications are reimbursed at ingredient level, with each ingredient identified using the NDC and corresponding quantity. Ingredients without NDC are not separately reimbursable. Payment is based on the sum of the allowable fee for each ingredient plus a single dispense fee per compounded medications.

#### Miscellaneous

Charges for services specified under "basic economic loss" and any further health service charges which are incurred as a result of injury and in the excess of basic economic loss shall not exceed charges permissible under the state Workers' Compensation fee schedules, except where the insurer or arbitrator determines that unusual procedures or unique circumstances justify the excess charge.

Per a 2001 informal opinion of the Insurance Department over-the-counter medications and products which may be purchased without prescription are not covered expenses.

#### Direction of Care

Workers' compensation pharmacy network/direction of care provisions do not apply.

### Billing Payment

#### Paper billing

None stated

#### eBilling

Certain providers within the state may fall under requirements of §2807-e of the Public Health Law with respect to submission of electronic claims.

#### Biller Time Frames

Eligible injured person or person's assignee or representative shall submit written proof of a claim, including full particulars of the nature and extent of injuries and treatment received and contemplated, as soon as reasonably practicable but in no event later than 45 days after date of service, unless submitting written proof providing clear and reasonable justification for failure to comply with this time limitation.

#### Coding Requirements

None available

#### Payer Time Frames

Payments shall be made as the loss is incurred.

Overdue if not paid within 30 days after claimant supplies proof of the fact and amount of loss sustained. If proof is not supplied as to the entire claim, amount supported by proof is overdue if not paid within 30 days.

Within 30 calendar days after proof of claim is received, insurer shall either pay or deny a claim in whole or in part.

Insurer is not liable for payment of medical or other enumerated benefits if, during a period of one year from date of accident, no such expenses has been incurred by the claimant.

#### Late Payment Penalties

All overdue payments bear interest at 2% per month (calculate on a pro rata basis using a 30-day month).

When payment is made on an overdue claim, any interest calculated to be due in an amount greater than \$5 shall be paid to the claimant or their assignee.

Insurer shall separately identify any interest payment on an overdue claim from benefit payments. This may be done by issuing separate drafts for each amount or by an accompanying statement that clearly and separately identifies components of the draft.

## Jurisdictional laws and regulations

### Billing Payment

#### EOB/EOR Requirements

If insurer denies a claim in whole or part involving elements of economic loss, the insurer shall notify claimant or their authorized representative on prescribed denial of claim form, in duplicate, and shall furnish, if requested by claimant, one copy of all prescribed claim forms submitted by or on behalf of applicant. However, where a denial involves a portion of a provider's bill, insurer may make such denial on a form or letter approved by the Department issued in duplicate.

Where denying in part of a medical bill as result of charges not conforming to the Fee Schedule, an insurer may comply with denial notice requirement for those overcharges of \$50 or less by telephone agreement with provider or provider's representative, with proper documentation of such agreement in the claim file.

Draft or check in payment shall include information sufficient to ID element(s) of covered expense(s) being reimbursed, or must be accompanied by an explanation containing such identifying information.

#### Miscellaneous

- Insurer shall pay benefits directly to claimant or, when appropriate, to claimant's parent or legal guardian or to any person legally responsible for necessities, or, upon assignment by claimant or any of the aforementioned persons, shall pay benefits directly to providers of health care services.
- In order for a health care provider to receive direct payment from insurer, provider must submit to the insurer a properly executed authorization form or assignment.
- Every insurer shall provide a claimant with the option of submitting any dispute involving insurer's liability to pay first party benefits, or additional first party benefits, the amount thereof or any other matter which may arise pursuant to §5106 to arbitration.
- If reimbursable services are performed outside of NY, the permissible charge is the prevailing fee in the geographic location of the provider.

### Prior Authorization, Utilization Review Coverage

#### Pharmacy Authorization

There is no rule restricting a health care provider from prescribing to no-fault patients unless the provider's license prohibits it.

Workers' compensation preauthorization requirements would not apply.

### Prior Authorization, Utilization Review Coverage

#### Ancillary Authorization

Any workers' compensation preauthorization requirements would not apply.

#### Treatment Guidelines

None specifically adopted for auto (workers' compensation treatment guidelines would not apply).

#### Utilization Review

If continued treatment is denied based upon results of an insurer's medical examination or a peer review, this constitutes a question of medical fact which must be resolved through no-fault arbitration or a court of competent jurisdiction. Reviewers may be subject to separate NY UR certification/requirements.

#### Coverage Details

"Basic economic loss" includes up to \$50,000 per person for certain combined items, including all necessary expenses incurred for: (i) medical, hospital, surgical, nursing, dental, ambulance, x-ray, prescription drug and prosthetic services; (ii) psychiatric, physical therapy (rendered pursuant to a referral) and occupational therapy and rehabilitation; and (iv) any other professional health services; all without limitation as to time, provided that within one year after the date of the accident causing the injury it is ascertainable that further expenses may be incurred as a result of the injury.

"Basic economic loss" also includes additional option to purchase (for additional premium), an additional \$25,000 of coverage which claimant may specify will be applied to loss of earnings from work and/or psychiatric, physical or occupational therapy and rehabilitation after the initial \$50,000 of basic economic loss has been exhausted.

#### Miscellaneous

- Noted medical expenses not subject to a time limitation, provided within one year after the date of accident, it is ascertainable that further medical expenses may be sustained as a result of the injury.
- References to workers' compensation reporting and procedural requirements in workers' compensation fee schedules do not apply (e.g., requirements provide for authorization to perform surgical procedures, is not applicable to no-fault).
- The general instructions and ground rules in the workers' compensation fee schedules apply, but those rules which refer to workers' compensation claim forms, pre-authorization approval and dispute resolution guidelines do not apply, unless specified in the auto rules.

## Brand-Generic Index

Brand	Generic	Therapeutic Class	Pharmaceutical Uses†
Abilify®	aripiprazole	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression
Aciphex®	rabeprazole	Ulcer Drug	Ulcers/GERD
Adderall®	amphetamine/dextroamphetamine	Stimulant	Attention Deficit Hyperactivity Disorder
Advair Diskus®	fluticasone/salmeterol	Antiasthmatic	Asthma/COPD
Advil®	ibuprofen	NSAID	Pain/Inflammation
Altace®	ramipril	Antihypertensive	High Blood Pressure/Heart Failure
Ambien CR®	zolpidem ER	Hypnotic	Insomnia
Ambien®	zolpidem	Hypnotic	Insomnia
Amitiza®	lubiprostone	Gastrointestinal Agent	Constipation/Opioid-Induced Constipation
Amrix®	cyclobenzaprine ER	Skeletal Muscle Relaxant	Muscle Spasm
Anaprox® DS	naproxen sodium	NSAID	Pain/Inflammation
AndroGel®	testosterone	Androgen	Testosterone Deficiency
Antivert®	meclizine	Antiemetic	Nausea/Vomiting
Arthrotec®	diclofenac/misoprostol	NSAID	Pain/Inflammation
Atarax®	hydroxyzine	Antianxiety Agent	Anxiety/Itching
Ativan®	lorazepam	Antianxiety Agent	Anxiety/Insomnia
Augmentin®	amoxicillin/clavulanate potassium	Antibiotic	Bacterial Infections
Avinza®	morphine ER	Opioid Analgesic	Pain
Bactrim® DS	sulfamethoxazole/trimethoprim	Antibiotic	Bacterial Infections
Bactroban®	mupirocin	Antiinfective - Topical	Skin Infections
BuSpar®	bupirone	Antianxiety Agent	Anxiety
Butrans®	buprenorphine	Opioid Analgesic	Pain
Bystolic®	nebivolol	Antihypertensive	High Blood Pressure
Cataflam®	diclofenac potassium	NSAID	Pain/Inflammation
Catapres®	clonidine	Antihypertensive	High Blood Pressure
Celebrex®	celecoxib	NSAID	Pain/Inflammation
Celexa®	citalopram	Antidepressant	Depression
Cialis®	tadalafil	Misc Cardiovascular	Erectile Dysfunction/Enlarged Prostate
Cipro®	ciprofloxacin	Antibiotic	Bacterial Infections
Cleocin®	clindamycin	Antibiotic	Bacterial Infections
Clinoril®	sulindac	NSAID	Pain/Inflammation
Colace®	docusate sodium	Laxative	Constipation
Combivent® Respimat®	ipratropium bromide/albuterol	Antiasthmatic	COPD
Constulose®	lactulose	Laxative	Constipation
Conzip®	tramadol ER	Opioid Analgesic	Pain
Coreg®	carvedilol	Antihypertensive	High Blood Pressure/Heart Failure
Coumadin®	warfarin	Anticoagulant	Blood Thinner
Cozaar®	losartan potassium	Antihypertensive	High Blood Pressure
Crestor®	rosuvastatin	Antihyperlipidemic	High Cholesterol
Cymbalta®	duloxetine	Antidepressant	Depression/Pain/Anxiety
Daypro®	oxaprozin	NSAID	Pain/Inflammation
Deltasone®	prednisone	Corticosteroid	Inflammatory Disorders

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations

**RED** = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease



## Brand-Generic Index

Brand	Generic	Therapeutic Class	Pharmaceutical Uses†
Depakote®	divalproex	Anticonvulsant	Seizures/Migraine/Bipolar Disorder
Depakote® ER	divalproex ER	Anticonvulsant	Seizures/Migraine/Bipolar Disorder
Desyrel®	trazodone	Antidepressant	Depression/Insomnia
Dexilant™	dexlansoprazole	Ulcer Drug	Ulcers/GERD
Dilantin®	phenytoin	Anticonvulsant	Seizures
Dilaudid®	hydromorphone	Opioid Analgesic	Pain
Diovan®	valsartan	Antihypertensive	High Blood Pressure/Heart Failure
Ditropan XL®	oxybutynin ER	Urinary Antispasmodic	Overactive Bladder
Dolophine®	methadone	Opioid Analgesic	Pain
Duexis®	ibuprofen/famotidine	NSAID/Histamine Blocker	Arthritis/Ulcer Risk Reduction
Dulcolax® Suppository	bisacodyl	Laxative	Constipation
Duragesic®	fentanyl	Opioid Analgesic	Pain
EC-Naprosyn®	naproxen delayed-release	NSAID	Pain/Inflammation
Ecotrin®	aspirin	Non-Opioid Analgesic	Pain/Inflammation/Fever
Effexor®	venlafaxine	Antidepressant	Depression
Effexor® XR	venlafaxine ER	Antidepressant	Depression
Elavil®	amitriptyline	Antidepressant	Depression/Insomnia/Nerve Pain
Eliquis®	apixaban	Anticoagulant	Blood Thinner
Embeda®	morphine/naltrexone	Opioid Analgesic	Pain
Esgic®/Fioricet®	butalbital/acetaminophen/caffeine	Non-Opioid Analgesic	Headache
Exalgo®	hydromorphone ER	Opioid Analgesic	Pain
Feldene®	piroxicam	NSAID	Pain/Inflammation
Flector® Patch	diclofenac patch	Topical NSAID	Pain/Inflammation
Flexeril®	cyclobenzaprine	Skeletal Muscle Relaxant	Muscle Spasm
Flomax®	tamsulosin	Misc Genitourinary Product	Enlarged Prostate
Flonase®	fluticasone	Corticosteroid - Nasal	Allergies
Glucophage®	metformin	Antidiabetic	High Blood Sugar
Gralise®	gabapentin	Anticonvulsant	Nerve Pain
Horizant®	gabapentin enacarbil	Anticonvulsant	Restless Legs Syndrome
Hydrodiuril®	hydrochlorothiazide	Diuretic	High Blood Pressure/Heart Failure
Hysingla® ER	hydrocodone ER	Opioid Analgesic	Pain
Imitrex®	sumatriptan	Migraine Product	Migraine
Inderal®	propranolol	Antihypertensive	High Blood Pressure/Migraine
Inderal® LA	propranolol ER	Antihypertensive	High Blood Pressure/Migraine
Isentress®	raltegravir	Antiviral	Human Immunodeficiency Virus Infection
Kadian®	morphine ER	Opioid Analgesic	Pain
Keflex®	cephalexin	Antibiotic	Bacterial Infections
Kenalog®	triamcinolone	Corticosteroid - Topical	Inflammatory Disorders
Keppra®	levetiracetam	Antianxiety Agent	Seizures
Klonopin®	clonazepam	Anticonvulsant	Seizures/Panic Disorder
Klor-Con®	potassium chloride	Mineral & Electrolyte	Potassium Deficiency
Lamictal®	lamotrigine	Anticonvulsant	Seizures/Bipolar Disorder
Lasix®	furosemide	Diuretic	High Blood Pressure/Heart Failure

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. ER, XR, CR, LA, XL = Extended-release formulations

RED = Generic not available NSAID = Nonsteroidal Anti-inflammatory Drug COPD = Chronic Obstructive Pulmonary Disease GERD = Gastroesophageal Reflux Disease

## Brand-Generic Index

Brand	Generic	Therapeutic Class	Pharmaceutical Uses†
<b>Levaquin®</b>	levofloxacin	Antibiotic	Bacterial Infections
<b>Lexapro®</b>	escitalopram	Antidepressant	Depression
<b>Lidoderm® Patch</b>	lidocaine patch	Topical Analgesic - Anesthetic	Nerve Pain
<b>Linzess®</b>	linaclotide	Gastrointestinal Agent	Constipation/Irritable Bowel Syndrome
<b>Lioresal®</b>	baclofen	Skeletal Muscle Relaxant	Spasticity
<b>Lipitor®</b>	atorvastatin	Antihyperlipidemic	High Cholesterol
<b>Lodine®</b>	etodolac	NSAID	Pain/Inflammation
<b>Lodine® ER</b>	etodolac ER	NSAID	Pain/Inflammation
<b>Lopressor®</b>	metoprolol tartrate	Antihypertensive	High Blood Pressure/Angina
<b>Lovenox®</b>	enoxaparin	Anticoagulant	Blood Thinner
<b>Lunesta®</b>	eszopiclone	Hypnotic	Insomnia
<b>Lyrica®</b>	pregabalin	Anticonvulsant	Fibromyalgia/Seizures/Nerve Pain
<b>Medrol®</b>	methylprednisolone	Corticosteroid	Inflammatory Disorders
<b>Minipress®</b>	prazosin	Antihypertensive	High Blood Pressure
<b>MiraLAX®</b>	polyethylene glycol	Laxative	Constipation
<b>Mobic®</b>	meloxicam	NSAID	Pain/Inflammation
<b>Movantik®</b>	naloxegol	Gastrointestinal Agent	Opioid-Induced Constipation
<b>Moxatag®</b>	amoxicillin ER	Antibiotic	Bacterial Infections
<b>MS Contin®</b>	morphine ER	Opioid Analgesic	Pain
<b>Naprosyn®</b>	naproxen	NSAID	Pain/Inflammation
<b>Neurontin®</b>	gabapentin	Anticonvulsant	Seizures/Nerve Pain
<b>New Terocin Lotion</b>	methyl salicylate/capsaicin/menthol	Dermatological - Topical	Topical Pain Relief
<b>Nexium®</b>	esomeprazole magnesium	Ulcer Drug	Ulcers/GERD
<b>Norco®</b>	hydrocodone/acetaminophen	Opioid Analgesic	Pain
<b>Norflex®</b>	orphenadrine	Skeletal Muscle Relaxant	Muscle Spasm
<b>Norvasc®</b>	amlodipine	Antihypertensive	High Blood Pressure/Angina
<b>Nucynta®</b>	tapentadol	Opioid Analgesic	Pain
<b>Nucynta® ER</b>	tapentadol ER	Opioid Analgesic	Pain
<b>Nuvigil®</b>	armodafinil	Stimulant	Narcolepsy/Sleep Apnea/Shift Work Disorder
<b>Opana®</b>	oxymorphone	Opioid Analgesic	Pain
<b>Opana® ER</b>	oxymorphone ER	Opioid Analgesic	Pain
<b>Orudis®</b>	ketoprofen	NSAID	Pain/Inflammation
<b>OxyContin®</b>	oxycodone ER	Opioid Analgesic	Pain
<b>Pamelor®</b>	nortriptyline	Antidepressant	Depression/Insomnia/Nerve Pain
<b>Parafon Forte® DSC</b>	chlorzoxazone	Skeletal Muscle Relaxant	Muscle Spasm
<b>Paxil®</b>	paroxetine	Antidepressant	Depression
<b>Pennsaid® Solution</b>	diclofenac solution	Topical NSAID	Pain/Inflammation
<b>Pepcid®</b>	famotidine	Ulcer Drug	Ulcers/GERD
<b>Percocet®</b>	oxycodone/acetaminophen	Opioid Analgesic	Pain
<b>Phenergan®</b>	promethazine	Antihistamine	Nausea/Vomiting
<b>Plavix®</b>	clopidogrel	Hematological	Post Stroke/Heart Attack
<b>Pred Forte®</b>	prednisolone	Ophthalmic	Eye Inflammation
<b>Prevacid®</b>	lansoprazole	Ulcer Drug	Ulcers/GERD

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations  
**RED** = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

## Brand-Generic Index

Brand	Generic	Therapeutic Class	Pharmaceutical Uses†
Prilosec®	omeprazole	Ulcer Drug	Ulcers/GERD
Pristiq®	desvenlafaxine ER	Antidepressant	Depression
ProAir® HFA	albuterol sulfate	Antiasthmatic	Asthma
Protonix®	pantoprazole	Ulcer Drug	Ulcers/GERD
Provigil®	modafinil	Stimulant	Narcolepsy/Sleep Apnea/Shift Work Disorder
Prozac®	fluoxetine	Antidepressant	Depression
Relafen®	nabumetone	NSAID	Pain/Inflammation
Remeron®	mirtazapine	Antidepressant	Depression
Requip®	ropinirole	Antiparkinsonian	Parkinson's Disease/Restless Legs Syndrome
Restoril™	temazepam	Hypnotic	Insomnia
Risperdal®	risperidone	Antipsychotic	Schizophrenia/Bipolar Disorder
Ritalin®	methylphenidate	Stimulant	Attention Deficit Hyperactivity Disorder
Robaxin®	methocarbamol	Skeletal Muscle Relaxant	Muscle Spasm
Roxicodone®	oxycodone	Opioid Analgesic	Pain
Senokot®	sennosides	Laxative	Constipation
Senokot-S®	senna/docusate sodium	Laxative	Constipation
Seroquel XR®	quetiapine ER	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression
Seroquel®	quetiapine	Antipsychotic	Schizophrenia/Bipolar Disorder
Silvadene®	silver sulfadiazine	Antiinfective - Topical	Burn Wound
Sinequan®	doxepin	Antidepressant	Depression/Insomnia
Singulair®	montelukast	Antiasthmatic	Asthma/Allergic Rhinitis
Skelaxin®	metaxalone	Skeletal Muscle Relaxant	Muscle Spasm
Soma®	carisoprodol	Skeletal Muscle Relaxant	Muscle Spasm
Spiriva® Handihaler®	tiotropium	Antiasthmatic	COPD
Suboxone®	buprenorphine/naloxone	Opioid Analgesic	Opioid dependence
Subutex®	buprenorphine	Opioid Analgesic	Opioid dependence
Symbicort®	budesonide/formoterol	Antiasthmatic	Asthma/COPD
Synthroid®	levothyroxine	Thyroid	Thyroid Hormone Deficiency
Tegretol®	carbamazepine	Anticonvulsant	Seizures/Bipolar Disorder/Nerve Pain
Tenormin®	atenolol	Antihypertensive	High Blood Pressure/Angina
Terocin Patch	lidocaine/menthol	Dermatological - Topical	Topical Pain Relief
Tivorbex®	indomethacin	NSAID	Pain/Inflammation
Topamax®	topiramate	Anticonvulsant	Seizures/Migraine
Toprol-XL®	metoprolol ER	Antihypertensive	High Blood Pressure/Heart Failure/Angina
Toradol®	ketorolac	NSAID	Pain/Inflammation
Tricor®	fenofibrate	Antihyperlipidemic	High Cholesterol
Trileptal®	oxcarbazepine	Anticonvulsant	Seizures
Trintellix®	vortioxetine	Antidepressant	Depression
Truvada®	emtricitabine/tenofovir	Antiviral	Human Immunodeficiency Virus Infection
Tylenol® Extra Strength	acetaminophen extra-strength	Non-Opioid Analgesic	Pain/Fever
Tylenol® with Codeine #3	acetaminophen/codeine	Opioid Analgesic	Pain
Ultracet®	tramadol/acetaminophen	Opioid Analgesic	Pain

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. ER, XR, CR, LA, XL = Extended-release formulations

RED = Generic not available NSAID = Nonsteroidal Anti-inflammatory Drug COPD = Chronic Obstructive Pulmonary Disease GERD = Gastroesophageal Reflux Disease

## Brand-Generic Index

Brand	Generic	Therapeutic Class	Pharmaceutical Uses†
Ultram®	tramadol	Opioid Analgesic	Pain
Ultram® ER	tramadol ER	Opioid Analgesic	Pain
Valium®	diazepam	Antianxiety Agent	Anxiety/Muscle spasms
Ventolin®/Proventil®	albuterol nebulizer solution	Antiasthmatic	Asthma
Viagra®	sildenafil	Misc Cardiovascular	Erectile Dysfunction/Pulmonary Hypertension
Vibramycin®	doxycycline hyclate	Antibiotic	Bacterial Infections
Vicoprofen®	hydrocodone/ibuprofen	Opioid Analgesic	Pain
Viibryd®	vilazodone	Antidepressant	Depression
Vimovo®	naproxen/esomeprazole	NSAID/Proton Pump Inhibitor	Arthritis/Ulcer Risk Reduction
Vistaril®	hydroxyzine pamoate	Antianxiety Agent	Anxiety/Itching
Voltaren®	diclofenac	NSAID	Pain/Inflammation
Voltaren® Gel	diclofenac gel	Topical NSAID	Pain/Inflammation
Voltaren®-XR	diclofenac ER	NSAID	Pain/Inflammation
Wellbutrin XL®	bupropion ER	Antidepressant	Depression
Wellbutrin®	bupropion	Antidepressant	Depression
Xanax®	alprazolam	Antianxiety Agent	Anxiety/Panic Disorder
Xarelto®	rivaroxaban	Anticoagulant	Blood Thinner
Xylocaine®	lidocaine ointment	Dermatological - Topical	Numbing/Nerve Pain
Zanaflex®	tizanidine	Skeletal Muscle Relaxant	Muscle Spasm
Zantac®	ranitidine	Ulcer Drug	Ulcers/GERD
Zestril®	lisinopril	Antihypertensive	High Blood Pressure/Heart Failure
Zetia®	ezetimibe	Antihyperlipidemic	High Cholesterol
Zipsor®	diclofenac potassium	NSAID	Pain/Inflammation
Zithromax®	azithromycin	Antibiotic	Bacterial Infections
Zocor®	simvastatin	Antihyperlipidemic	High Cholesterol
Zofran®	ondansetron	Antiemetic	Nausea/Vomiting
Zoloft®	sertraline	Antidepressant	Depression
Zonegran®	zonisamide	Anticonvulsant	Seizures
Zorvolex®	diclofenac	NSAID	Pain/Inflammation
Zyprexa®	olanzapine	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations

**RED** = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

DISCLAIMERS: The information is provided AS IS, for informational purposes only, and is not intended to constitute medical advice or to be used for diagnostic or treatment purposes. Optum does not warrant or guarantee the accuracy of this information and is not responsible for any results obtained from its use. Contact a physician or other health care provider before taking any medical action based on this information, including changes to medication therapy. Readers are encouraged to confirm information independently and/or consult with their legal representatives.

NOTE: Company and product names mentioned are either registered trademarks or trademarks of their respective users. Some brand name products are no longer on the market. Furthermore, if a generic medication is commercially available, not all strengths may have a generic equivalent.

## Generic-Brand Index

Generic	Brand	Therapeutic Class	Pharmaceutical Uses†
<b>acetaminophen extra-strength</b>	Tylenol® Extra Strength	Non-Opioid Analgesic	Pain/Fever
<b>acetaminophen/codeine</b>	Tylenol® with Codeine #3	Opioid Analgesic	Pain
<b>albuterol nebulizer solution</b>	Ventolin®/Proventil®	Antiasthmatic	Asthma
<b>albuterol sulfate</b>	ProAir® HFA	Antiasthmatic	Asthma
<b>alprazolam</b>	Xanax®	Antianxiety Agent	Anxiety/Panic Disorder
<b>amitriptyline</b>	Elavil®	Antidepressant	Depression/Insomnia/Nerve Pain
<b>amlodipine</b>	Norvasc®	Antihypertensive	High Blood Pressure/Angina
<b>amoxicillin ER</b>	Moxatag®	Antibiotic	Bacterial Infections
<b>amoxicillin/ clavulanate potassium</b>	Augmentin®	Antibiotic	Bacterial Infections
<b>amphetamine/ dextroamphetamine</b>	Adderall®	Stimulant	Attention Deficit Hyperactivity Disorder
<b>apixaban</b>	Eliquis®	Anticoagulant	Blood Thinner
<b>aripiprazole</b>	Abilify®	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression
<b>armodafinil</b>	Nuvigil®	Stimulant	Narcolepsy/Sleep Apnea/Shift Work Disorder
<b>aspirin</b>	Ecotrin®	Non-Opioid Analgesic	Pain/Inflammation/Fever
<b>atenolol</b>	Tenormin®	Antihypertensive	High Blood Pressure/Angina
<b>atorvastatin</b>	Lipitor®	Antihyperlipidemic	High Cholesterol
<b>azithromycin</b>	Zithromax®	Antibiotic	Bacterial Infections
<b>baclofen</b>	Lioresal®	Skeletal Muscle Relaxant	Spasticity
<b>bisacodyl</b>	Dulcolax® Suppository	Laxative	Constipation
<b>budesonide/formoterol</b>	Symbicort®	Antiasthmatic	Asthma/COPD
<b>buprenorphine</b>	Butrans®	Opioid Analgesic	Pain
<b>buprenorphine</b>	Subutex®	Opioid Analgesic	Opioid dependence
<b>buprenorphine/naloxone</b>	Suboxone®	Opioid Analgesic	Opioid dependence
<b>bupropion</b>	Wellbutrin®	Antidepressant	Depression
<b>bupropion ER</b>	Wellbutrin XL®	Antidepressant	Depression
<b>buspirone</b>	BuSpar®	Antianxiety Agent	Anxiety
<b>butalbital/acetaminophen/ caffeine</b>	Esgic®/Fioricet®	Non-Opioid Analgesic	Headache
<b>carbamazepine</b>	Tegretol®	Anticonvulsant	Seizures/Bipolar Disorder/Nerve Pain
<b>carisoprodol</b>	Soma®	Skeletal Muscle Relaxant	Muscle Spasm
<b>carvedilol</b>	Coreg®	Antihypertensive	High Blood Pressure/Heart Failure
<b>celecoxib</b>	Celebrex®	NSAID	Pain/Inflammation
<b>cephalexin</b>	Keflex®	Antibiotic	Bacterial Infections
<b>chlorzoxazone</b>	Parafon Forte® DSC	Skeletal Muscle Relaxant	Muscle Spasm
<b>ciprofloxacin</b>	Cipro®	Antibiotic	Bacterial Infections
<b>citalopram</b>	Celexa®	Antidepressant	Depression
<b>clindamycin</b>	Cleocin®	Antibiotic	Bacterial Infections
<b>clonazepam</b>	Klonopin®	Anticonvulsant	Antianxiety Agent
<b>clonidine</b>	Catapres®	Antihypertensive	High Blood Pressure
<b>clopidogrel</b>	Plavix®	Hematological	Post Stroke/Heart Attack
<b>cyclobenzaprine</b>	Flexeril®	Skeletal Muscle Relaxant	Muscle Spasm
<b>cyclobenzaprine ER</b>	Amrix®	Skeletal Muscle Relaxant	Muscle Spasm

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations

**RED** = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

## Generic-Brand Index

Generic	Brand	Therapeutic Class	Pharmaceutical Uses†
<b>desvenlafaxine ER</b>	Pristiq®	Antidepressant	Depression
<b>dexlansoprazole</b>	Dexilant™	Ulcer Drug	Ulcers/GERD
<b>diazepam</b>	Valium®	Antianxiety Agent	Anxiety/Muscle spasms
<b>diclofenac potassium</b>	Cataflam®	NSAID	Pain/Inflammation
<b>diclofenac</b>	Voltaren®	NSAID	Pain/Inflammation
<b>diclofenac</b>	Zorvolex®	NSAID	Pain/Inflammation
<b>diclofenac ER</b>	Voltaren®-XR	NSAID	Pain/Inflammation
<b>diclofenac gel</b>	Voltaren® Gel	Topical NSAID	Pain/Inflammation
<b>diclofenac patch</b>	Flector® Patch	Topical NSAID	Pain/Inflammation
<b>diclofenac potassium</b>	Zipsor®	NSAID	Pain/Inflammation
<b>diclofenac solution</b>	Pennsaid® Solution	Topical NSAID	Pain/Inflammation
<b>diclofenac/misoprostol</b>	Arthrotec®	NSAID	Pain/Inflammation
<b>divalproex</b>	Depakote®	Anticonvulsant	Seizures/Migraine/Bipolar Disorder
<b>divalproex ER</b>	Depakote® ER	Anticonvulsant	Seizures/Migraine/Bipolar Disorder
<b>docusate sodium</b>	Colace®	Laxative	Constipation
<b>doxepin</b>	Sinequan®	Antidepressant	Depression/Insomnia
<b>doxycycline hyclate</b>	Vibramycin®	Antibiotic	Bacterial Infections
<b>duloxetine</b>	Cymbalta®	Antidepressant	Depression/Pain/Anxiety
<b>emtricitabine/tenofovir</b>	Truvada®	Antiviral	Human Immunodeficiency Virus Infection
<b>enoxaparin</b>	Lovenox®	Anticoagulant	Blood Thinner
<b>escitalopram</b>	Lexapro®	Antidepressant	Depression
<b>esomeprazole magnesium</b>	Nexium®	Ulcer Drug	Ulcers/GERD
<b>eszopiclone</b>	Lunesta®	Hypnotic	Insomnia
<b>etodolac</b>	Lodine®	NSAID	Pain/Inflammation
<b>etodolac ER</b>	Lodine® ER	NSAID	Pain/Inflammation
<b>ezetimibe</b>	Zetia®	Antihyperlipidemic	High Cholesterol
<b>famotidine</b>	Pepcid®	Ulcer Drug	Ulcers/GERD
<b>fenofibrate</b>	Tricor®	Antihyperlipidemic	High Cholesterol
<b>fentanyl</b>	Duragesic®	Opioid Analgesic	Pain
<b>fluoxetine</b>	Prozac®	Antidepressant	Depression
<b>fluticasone</b>	Flonase®	Corticosteroid - Nasal	Allergies
<b>fluticasone/salmeterol</b>	Advair Diskus®	Antiasthmatic	Asthma/COPD
<b>furosemide</b>	Lasix®	Diuretic	High Blood Pressure/Heart Failure
<b>gabapentin</b>	Neurontin®	Anticonvulsant	Seizures/Nerve Pain
<b>gabapentin</b>	Gralise®	Anticonvulsant	Nerve Pain
<b>gabapentin enacarbil</b>	Horizant®	Anticonvulsant	Restless Legs Syndrome
<b>hydrochlorothiazide</b>	Hydrodiuril®	Diuretic	High Blood Pressure/Heart Failure
<b>hydrocodone ER</b>	Hysingla® ER	Opioid Analgesic	Pain
<b>hydrocodone/acetaminophen</b>	Norco®	Opioid Analgesic	Pain
<b>hydrocodone/ibuprofen</b>	Vicoprofen®	Opioid Analgesic	Pain
<b>hydromorphone</b>	Dilaudid®	Opioid Analgesic	Pain
<b>hydromorphone ER</b>	Exalgo®	Opioid Analgesic	Pain
<b>hydroxyzine</b>	Atarax®	Antianxiety Agent	Anxiety/Itching

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations  
**RED** = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

## Generic-Brand Index

Generic	Brand	Therapeutic Class	Pharmaceutical Uses†
hydroxyzine pamoate	Vistaril®	Antianxiety Agent	Anxiety/Itching
ibuprofen	Advil®	NSAID	Pain/Inflammation
ibuprofen/famotidine	Duexis®	NSAID/Histamine Blocker	Arthritis/Ulcer Risk Reduction
indomethacin	Tivorbex®	NSAID	Pain/Inflammation
ipratropium bromide/albuterol	Combivent® Respimat®	Antiasthmatic	COPD
ketoprofen	Orudis®	NSAID	Pain/Inflammation
ketorolac	Toradol®	NSAID	Pain/Inflammation
lactulose	Constulose®	Laxative	Constipation
lamotrigine	Lamictal®	Anticonvulsant	Seizures/Bipolar Disorder
lansoprazole	Prevacid®	Ulcer Drug	Ulcers/GERD
levetiracetam	Keppra®	Anticonvulsant	Seizures
levofloxacin	Levaquin®	Antibiotic	Bacterial Infections
levothyroxine	Synthroid®	Thyroid	Thyroid Hormone Deficiency
lidocaine ointment	Xylocaine®	Dermatological - Topical	Numbing/Nerve Pain
lidocaine patch	Lidoderm® Patch	Topical Analgesic - Anesthetic	Nerve Pain
lidocaine/menthol	Terocin Patch	Dermatological - Topical	Topical Pain Relief
linaclotide	Linzess®	Gastrointestinal Agent	Constipation/Irritable Bowel Syndrome
lisinopril	Zestril®	Antihypertensive	High Blood Pressure/Heart Failure
lorazepam	Ativan®	Antianxiety Agent	Anxiety/Insomnia
losartan potassium	Cozaar®	Antihypertensive	High Blood Pressure
lubiprostone	Amitiza®	Gastrointestinal Agent	Constipation/Opioid-Induced Constipation
meclizine	Antivert®	Antiemetic	Nausea/Vomiting
meloxicam	Mobic®	NSAID	Pain/Inflammation
metaxalone	Skelaxin®	Skeletal Muscle Relaxant	Muscle Spasm
metformin	Glucophage®	Antidiabetic	High Blood Sugar
methadone	Dolophine®	Opioid Analgesic	Pain
methocarbamol	Robaxin®	Skeletal Muscle Relaxant	Muscle Spasm
methyl salicylate/ capsaicin/menthol	New Terocin Lotion	Dermatological - Topical	Topical Pain Relief
methylphenidate	Ritalin®	Stimulant	Attention Deficit Hyperactivity Disorder
methylprednisolone	Medrol®	Corticosteroid	Inflammatory Disorders
metoprolol ER	Toprol-XL®	Antihypertensive	High Blood Pressure/Heart Failure/Angina
metoprolol tartrate	Lopressor®	Antihypertensive	High Blood Pressure/Angina
mirtazapine	Remeron®	Antidepressant	Depression
modafinil	Provigil®	Stimulant	Narcolepsy/Sleep Apnea/Shift Work Disorder
montelukast	Singulair®	Antiasthmatic	Asthma/Allergic Rhinitis
morphine ER	Avinza®	Opioid Analgesic	Pain
morphine ER	Kadian®	Opioid Analgesic	Pain
morphine ER	MS Contin®	Opioid Analgesic	Pain
morphine/naltrexone	Embeda®	Opioid Analgesic	Pain
mupirocin	Bactroban®	Antiinfective - Topical	Skin Infections
nabumetone	Relafen®	NSAID	Pain/Inflammation
naloxegol	Movantik®	Gastrointestinal Agent	Opioid-Induced Constipation

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations

**RED** = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease



## Generic-Brand Index

Generic	Brand	Therapeutic Class	Pharmaceutical Uses†
naproxen	Naprosyn®	NSAID	Pain/Inflammation
naproxen delayed-release	EC-Naprosyn®	NSAID	Pain/Inflammation
naproxen sodium	Anaprox® DS	NSAID	Pain/Inflammation
naproxen/esomeprazole	Vimovo®	NSAID/Proton Pump Inhibitor	Arthritis/Ulcer Risk Reduction
nebivolol	Bystolic®	Antihypertensive	High Blood Pressure
nortriptyline	Pamelor®	Antidepressant	Depression/Insomnia/Nerve Pain
olanzapine	Zyprexa®	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression
omeprazole	Prilosec®	Ulcer Drug	Ulcers/GERD
ondansetron	Zofran®	Antiemetic	Nausea/Vomiting
orphenadrine	Norflex®	Skeletal Muscle Relaxant	Muscle Spasm
oxaprozin	Daypro®	NSAID	Pain/Inflammation
oxcarbazepine	Trileptal®	Anticonvulsant	Seizures
oxybutynin ER	Ditropan XL®	Urinary Antispasmodic	Overactive Bladder
oxycodone	Roxicodone®	Opioid Analgesic	Pain
oxycodone ER	OxyContin®	Opioid Analgesic	Pain
oxycodone/acetaminophen	Percocet®	Opioid Analgesic	Pain
oxymorphone	Opana®	Opioid Analgesic	Pain
oxymorphone ER	Opana® ER	Opioid Analgesic	Pain
pantoprazole	Protonix®	Ulcer Drug	Ulcers/GERD
paroxetine	Paxil®	Antidepressant	Depression
phenytoin	Dilantin®	Anticonvulsant	Seizures
piroxicam	Feldene®	NSAID	Pain/Inflammation
polyethylene glycol	MiraLAX®	Laxative	Constipation
potassium chloride	Klor-Con®	Mineral & Electrolyte	Potassium Deficiency
prazosin	Minipress®	Antihypertensive	High Blood Pressure
prednisolone	Pred Forte®	Ophthalmic	Eye Inflammation
prednisone	Deltasone®	Corticosteroid	Inflammatory Disorders
pregabalin	Lyrica®	Anticonvulsant	Fibromyalgia/Seizures/Nerve Pain
promethazine	Phenergan®	Antihistamine	Nausea/Vomiting
propranolol	Inderal®	Antihypertensive	High Blood Pressure/Migraine
propranolol ER	Inderal® LA	Antihypertensive	High Blood Pressure/Migraine
quetiapine	Seroquel®	Antipsychotic	Schizophrenia/Bipolar Disorder
quetiapine ER	Seroquel XR®	Antipsychotic	Schizophrenia/Bipolar Disorder/Depression
rabeprazole	Aciphex®	Ulcer Drug	Ulcers/GERD
raltegravir	Isentress®	Antiviral	Human Immunodeficiency Virus Infection
ramipril	Altace®	Antihypertensive	High Blood Pressure/Heart Failure
ranitidine	Zantac®	Ulcer Drug	Ulcers/GERD
risperidone	Risperdal®	Antipsychotic	Schizophrenia/Bipolar Disorder
rivaroxaban	Xarelto®	Anticoagulant	Blood Thinner
ropinirole	Requip®	Antiparkinsonian	Parkinson's Disease/Restless Legs Syndrome
rosuvastatin	Crestor®	Antihyperlipidemic	High Cholesterol
senna/docusate sodium	Senokot-S®	Laxative	Constipation
sennosides	Senokot®	Laxative	Constipation

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations

**RED** = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease



## Generic-Brand Index

Generic	Brand	Therapeutic Class	Pharmaceutical Uses†
sertraline	Zoloft®	Antidepressant	Depression
<b>sildenafil</b>	Viagra®	Misc Cardiovascular	Erectile Dysfunction/Pulmonary Hypertension
silver sulfadiazine	Silvadene®	Antiinfective - Topical	Burn Wound
simvastatin	Zocor®	Antihyperlipidemic	High Cholesterol
sulfamethoxazole/ trimethoprim	Bactrim® DS	Antibiotic	Bacterial Infections
sulindac	Clinoril®	NSAID	Pain/Inflammation
sumatriptan	Imitrex®	Migraine Product	Migraine
<b>tadalafil</b>	Cialis®	Misc Cardiovascular	Erectile Dysfunction/Enlarged Prostate
tamsulosin	Flomax®	Misc Genitourinary Product	Enlarged Prostate
<b>tapentadol</b>	Nucynta®	Opioid Analgesic	Pain
<b>tapentadol ER</b>	Nucynta® ER	Opioid Analgesic	Pain
temazepam	Restoril™	Hypnotic	Insomnia
testosterone	AndroGel®	Androgen	Testosterone Deficiency
<b>tiotropium</b>	Spiriva® Handihaler®	Antiasthmatic	COPD
tizanidine	Zanaflex®	Skeletal Muscle Relaxant	Muscle Spasm
topiramate	Topamax®	Anticonvulsant	Seizures/Migraine
tramadol	Ultram®	Opioid Analgesic	Pain
<b>tramadol ER</b>	Conzip®	Opioid Analgesic	Pain
tramadol ER	Ultram® ER	Opioid Analgesic	Pain
tramadol/acetaminophen	Ultracet®	Opioid Analgesic	Pain
trazodone	Desyrel®	Antidepressant	Depression/Insomnia
triamcinolone	Kenalog®	Corticosteroid - Topical	Inflammatory Disorders
valsartan	Diovan®	Antihypertensive	High Blood Pressure/Heart Failure
venlafaxine	Effexor®	Antidepressant	Depression
venlafaxine ER	Effexor® XR	Antidepressant	Depression
<b>vilazodone</b>	Viibryd®	Antidepressant	Depression
<b>vortioxetine</b>	Trintellix®	Antidepressant	Depression
warfarin	Coumadin®	Anticoagulant	Blood Thinner
zolpidem	Ambien®	Hypnotic	Insomnia
zolpidem ER	Ambien CR®	Hypnotic	Insomnia
zonisamide	Zonegran®	Anticonvulsant	Seizures

† Pharmaceutical uses listed are not all-inclusive; does not include all FDA approved and off-label uses. **ER, XR, CR, LA, XL** = Extended-release formulations

**RED** = Generic not available **NSAID** = Nonsteroidal Anti-inflammatory Drug **COPD** = Chronic Obstructive Pulmonary Disease **GERD** = Gastroesophageal Reflux Disease

DISCLAIMERS: The information is provided AS IS, for informational purposes only, and is not intended to constitute medical advice or to be used for diagnostic or treatment purposes. Optum does not warrant or guarantee the accuracy of this information and is not responsible for any results obtained from its use. Contact a physician or other health care provider before taking any medical action based on this information, including changes to medication therapy. Readers are encouraged to confirm information independently and/or consult with their legal representatives.

NOTE: Company and product names mentioned are either registered trademarks or trademarks of their respective users. Some brand name products are no longer on the market. Furthermore, if a generic medication is commercially available, not all strengths may have a generic equivalent.

## 2017 Continuing Education program

### Continuing Education courses and dates (April through August)

All webinars will be held from 2:00-3:00 p.m. (EST)

---

**April 20\*** ..... Discharge planning from acute care

**May 25** ..... Identifying and managing Opioid Use Disorder

**June 22** ..... Traumatic brain injuries

**July 13** ..... High-cost medications

**August 17** ..... Chiropractic medicine

*Details about our September through December course offering to be announced.*

---

\*This course was previously presented in 2016. If you attended the 2016 course and received continuing education credit from the CEU Institute, you cannot submit for the same credits for this offering.

Register at [HeliosComp.com/Resources/Education](https://www.helioscomp.com/Resources/Education)

### Accreditation

All courses will be submitted for 1.0 hour of pre-approved Adjuster (AK, AL, CA, DE, FL, GA, IN, KY, LA, MS, NC, NH, OK, TX, UT, WY); Certified Case Manager (CCM); National Nurse; Certification of Disability Management Specialists (CDMS); Commission on Rehabilitation Counselor (CRC); and Certified Medicare Secondary Payer (CMSP) CE accreditation. For states that do not require prior approval, the adjuster will need to submit their attendance certificate to the appropriate state agency to determine if CE credits can be applied. The Settlement Solutions courses will also be submitted for 1.0 hour of Continuing Legal Education (IL, CA, FL, TX).

Approval information varies by course and will be updated on HeliosComp.com.

Continuing education credits for our courses are administered by the CEU Institute. If you have any issues or questions regarding your credits, please contact [submissions@ceuinstitute.net](mailto:submissions@ceuinstitute.net).





#### About Optum for Auto No-Fault

The auto no-fault division of Optum collaborates with our clients to deliver value beyond transactional savings while helping ensure claimants receive safe and effective clinical care. Our innovative and comprehensive medical cost management programs include pharmacy, ancillary and managed care services from first report of injury to settlement.

Optum and its respective marks are trademarks of Optum, Inc. All other brand or product names are trademarks or registered marks of their respective owners. Because we are continuously improving our products and services, Optum reserves the right to change specifications without prior notice. Optum is an equal opportunity employer.